



The image has the only illustrative purpose and it is purely indicative, it may not fully reflect the product configuration.

KIT Junction box 3 ways 3p Screw D4-9 IP67

Code: **THR.200.S3M**



Potential improvements of the product and modifications of the technical data contained in this document can be made without notice.

This website uses cookies ✕

We use cookies to personalize content and ads, to remember your login details, provide secure login, collect statistics to optimize website performance and provide relevant content for you. By continuing to browse the site, you consent to our use of cookies.

[Cookie Policy](#)

Yes, Accept

ELECTRIC DATA

No. connected cables	3
Circuit wiring diagram	Power/Signal
Current rating (AC/DC)	16A
Voltage rating (AC/DC)	250V AC
No. poles	3
Marking	L-N-E
Terminations	Screw
Terminations Thread/Tightening torque	M3 - 0.8 Nm

CONNECTION DATA

Multi-stranded conductor cross-section without ferrule MIN (mm ²)	0.50
Multi-stranded conductor cross-section without ferrule MAX (mm ²)	1.50
Solid conductor cross-section MIN (mm ²)	0.50
Solid conductor cross-section MAX (mm ²)	1.50
Conductor stripping length (mm)	8.00
Main cable sheath stripping length (mm)	20.00
Branch cable sheath stripping length (mm)	20.00
Reccomended types of cable	H05xxx/H07xxx
Cable diameter MIN (mm)	4.00
Cable diameter MAX (mm)	9.00
Tightening torque of Lid/Fixing screws	1.0 Nm

ENVIRONMENT CONDITIONS

IP rating	IP67
Salt Mist	Salt mist test : EN60068-2-11:2000
T marking	T 85°C
Proof Tracking Index (PTI)	PTI 175

This website uses cookies

We use cookies to personalize content and ads, to remember your login details, provide secure login, collect statistics to optimize website performance and provide relevant content for you. By continuing to browse the site, you consent to our use of cookies.

[Cookie Policy](#)

PRODUCT COMPLIANCES

IEC Approvals

EN 60529:1991 - EN 60998-1:2004

COMMERCIAL DATA


EAN	8057457090117
Packing method	Individually packed (KIT)
Type of packaging	Blister
Kit contents	 THR.200.S3M.pdf
Pieces/kit (pcs)	1
Pieces/box (pcs)	50
Weight per Piece (gr)	83.80
Overall dimensions of box (mm)	400 x 400 x 230
Corresponding code in Box	THB.200.E3F
Custom tariff number	85369010
Country of origin	ITALY

APPROVALS

Please login to access this data.

TECHNICAL DOCUMENTATIONS

Technical documentations:

File	Type	Size
 606001700_IST_TH200.pdf	PDF	711.27 KB

CAD FILES

Please login to access this data.

MARKETING DOCUMENTS

Please login to access this data.

This website uses cookies

We use cookies to personalize content and ads, to remember your login details, provide secure login, collect statistics to optimize website performance and provide relevant content for you. By continuing to browse the site, you consent to our use of cookies.

[Cookie Policy](#)